

## CLAIMS

New claims:

a3

Sub  
B3

9. A mount for an adjustable housing in which a position of the housing on the mount is adjustable, comprising a base plate; at least one adjusting screw for adjusting the position of the housing, said adjusting screw being guided by via a screw thread through the housing, said at least one adjusting screw being provided with a deflecting linkage; a rotary spindle guided on said base plate by said deflecting linkage to an outside, said rotary spindle being turnable in order to turn said at least one adjusting screw in said screw thread to provide an adjustment, said deflecting linkage including bevel gears, and at least one of said bevel gears on said adjusting screw being movable and pressable against the other or said bevel gears; and an element for moving said at least one bevel gear on said adjusting screw and pressing against said other bevel gear.

10. A mount as defined in claim 9, wherein said element is formed as a spring.

11. A mount as defined in claim 9, wherein said element is formed as a bevel gear container.

15913560 "081501"

A.3  
Contn.

Sub  
b97

12. A mount as defined in claim 9, wherein for fastening the housing of a radar sensor, in which an adjustment of the housing is executable in order to change an emission direction of the radar sensor from a housing wall disposed opposite to said base plate of the mount, said deflecting linkage being operative for producing a deflection of a rotary motion of said rotary spindle approximately at a right angle so that a rotation of said rotary spindle takes place approximately perpendicular to the emission direction.

13. A mount as defined in claim 9, wherein said screw thread is disposed in said base plate.

14. A mount as defined in claim 9, wherein said screw thread is disposed in said base plate in plastic inserts.

15. A mount as defined in claim 9, wherein said deflecting linkage includes a worm gear and a spur-toothed wheel.

16. A mount as defined in claim 9, wherein said screw thread is a thread which is self-channeling when said at least one adjusting screw is screwed in.

09913560-081501

A3 contra

Sub

B57

17. A mount as defined in claim 9; and further comprising three such screws which fasten the housing to the mount, and including two diagonally opposed screws each formed as an adjusting screw.

---

09913560-081501